

ENVIRONMENTAL MONITORING REPORT

November, 2024

PROJECT: RAMANADURGA IRON ORE MINE

**ML NO. 2141
Dharmapura Village
Sandur Taluk, Ballari District,
Karnataka**

Lessee

M/S. Sri. KUMARASWAMY MINERAL EXPORTS PVT. LTD.,

**D. No. 462, SMIORE Colony,
Near Fire Station, Kudligi Road
SANDUR - 583119
BELLARY, KARNATAKA**

ENVIRONMENTAL LABORATORY

(Unit of Mineral Engineering Services)

**(Accredited by NABL &, MOEF&CC Under E(P) 1986)
#948, 2nd Cross, Kammanahalli Main Road,
St Thomas Town Post, Bangalore- 560 084, Karnataka,**

LIST OF TABLES

SL. NO.	PARTICULARS	TABLE NO.
1	Test Report of Ambient Air Quality	1 to 5
2	Analysis Report of Fugitive Emission	6
3	Statistical Air Quality	7
4	Water Analysis Report As per IS 2296	8



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 1

AMBIENT AIR QUALITY

Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd					
Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)					
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services)					
Station at & Code : A - I, Dharmapura					
Duration : 24 Hrs					
Issue date : 02.12.2024					
Reference IS 5182 & Lab SOP					
Date of Sampling	Lab Code	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter	
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)
08.11.2024	N/24/11/3-0134	12	10	55	27
09.11.2024	N/24/11/3-0209	6	9	43	23
15.11.2024	N/24/11/4-0137	10	12	35	18
16.11.2024	N/24/11/4-0199	8	9	38	22
18.11.2024	N/24/11/5-0007	11	16	56	30
19.11.2024	N/24/11/5-0051	9	13	51	26
27.11.2024	N/24/11/5-0141	7	11	46	25
28.11.2024	N/24/11/5-0173	9	11	54	28
Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs


 ARSHIYA KOUSAR
 Dy. T.M. - Chemical
 Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 2

AMBIENT AIR QUALITY

Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd					
Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)					
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services)					
Station at & Code : A - II, Yeshwanthanagar					
Duration : 24 Hrs					
Issue date : 02.12.2024					
Reference IS 5182 & Lab SOP					
Date of Sampling	Lab Code	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter	
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)
08.11.2024	N/24/11/3-0121	8	12	49	32
09.11.2024	N/24/11/3-0197	8	17	52	29
11.11.2024	N/24/11/4-0014	7	9	40	21
12.11.2024	N/24/11/4-0057	13	16	56	30
22.11.2024	N/24/11/5-0124	11	12	49	26
23.11.2024	N/24/11/5-0184	12	18	53	27
25.11.2024	N/24/11/5-0012	11	15	59	29
26.11.2024	N/24/11/5-0077	9	11	45	25
Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs

Arshiya Kousar
ARSHIYA KOUSAR
Dy. T.M. - Chemical
Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 3

AMBIENT AIR QUALITY

Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd					
Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)					
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services)					
Station at & Code : A - III, Sushila Nagar village					
Duration : 24 Hrs					
Issue date : 02.12.2024					
Reference IS 5182 & Lab SOP					
Date of Sampling	Lab Code	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter	
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)
04.11.2024	N/24/11/3-0003	7	11	58	20
05.11.2024	N/24/11/3-0038	13	14	40	23
15.11.2024	N/24/11/4-0123	7	9	30	18
16.11.2024	N/24/11/4-0191	12	13	56	33
18.11.2024	N/24/11/5-0015	11	15	51	23
19.11.2024	N/24/11/5-0057	11	13	35	19
27.11.2024	N/24/11/5-0147	12	15	48	25
28.11.2024	N/24/11/5-0179	9	10	40	25
Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs


 ARSHIYA KOUSAR
 Dy. T.M. - Chemical
 Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 4

AMBIENT AIR QUALITY

Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd					
Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)					
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services)					
Station at & Code : A - IV Sandur Town					
Duration : 24 Hrs					
Issue date : 02.12.2024					
Reference IS 5182 & Lab SOP					
Date of Sampling	Lab Code	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter	
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)
06.11.2024	N/24/11/3-0070	9	15	55	27
07.11.2024	N/24/11/3-0094	11	15	42	22
14.11.2024	N/24/11/4-0105	9	11	35	20
15.11.2024	N/24/11/4-0127	10	15	30	18
20.11.2024	N/24/11/5-0086	8	16	58	31
21.11.2024	N/24/11/5-0102	12	15	44	24
27.11.2024	N/24/11/5-0149	11	12	49	27
28.11.2024	N/24/11/5-0181	11	15	50	32
Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs


 ARSHIYA KOUSAR
 Dy. T.M. - Chemical
 Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 5

AMBIENT AIR QUALITY

Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd					
Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)					
Sample Collected by : Environmental Laboratory (Unit of Mineral Engineering Services)					
Station at & Code : A - V Core zone Within ML Area					
Duration : 24 Hrs					
Issue date : 02.12.2024					
Reference IS 5182 & Lab SOP					
Date of Sampling	Lab Code	Sulphur Dioxide (SO ₂), µg/m ³	Nitrogen Dioxide (NO ₂), µg/m ³	Particulate Matter	
				PM ₁₀ , (µg/m ³)	PM _{2.5} , (µg/m ³)
04.11.2024	N/24/11/3-0004	12	11	55	30
05.11.2024	N/24/11/3-0039	10	13	46	26
15.11.2024	N/24/11/4-0124	7	10	38	29
16.11.2024	N/24/11/4-0192	10	11	44	24
18.11.2024	N/24/11/5-0016	7	10	53	28
19.11.2024	N/24/11/5-0058	11	14	58	33
27.11.2024	N/24/11/5-0148	13	15	50	26
28.11.2024	N/24/11/5-0180	10	10	46	25
Limits for Industrial , Residential, Rural and other Areas		80 24 Hrs	80 24 Hrs	100 24 Hrs	60 24 Hrs


 ARSHIYA KOUSAR
 Dy. T.M. - Chemical
 Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
 Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 6

Fugitive Emission

Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd		
Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)		
Sample Collected by : Environmental Laboratory		
(Unit of Mineral Engineering Services)		
Station at & Code : A - VI, Loading point		
Duration : 08 Hrs		
Issue date : 02.12.2024		
Date of sample	Lab Code	Particulate mater ($\mu\text{g}/\text{m}^3$)
04.11.2024	N/24/11/3-0005	265
15.11.2024	N/24/11/4-0125	215

Station at & Code : A - VII, Crushing & Screening		
Duration : 08 Hrs		
Date of sample	Lab Code	Particulate mater ($\mu\text{g}/\text{m}^3$)
05.11.2024	N/24/11/3-0040	391
16.11.2024	N/24/11/5-0017	345

Station at & Code : A - VIII, Dumping point		
Duration : 08 Hrs		
Date of sample	Lab Code	Particulate mater ($\mu\text{g}/\text{m}^3$)
04.11.2024	N/24/11/3-0006	411
15.11.2024	N/24/11/4-0126	275

Station at & Code : A - IX, Haulage Road		
Duration : 08 Hrs		
Date of sample	Lab Code	Particulate mater ($\mu\text{g}/\text{m}^3$)
05.11.2024	N/24/11/3-0041	368
16.11.2024	N/24/11/5-0018	375
Ref : Environmental (Protection) Rules, 2010 (Sixth Amendment)		
Particulate mater ($\mu\text{g}/\text{m}^3$)		
Permissible limits for Fugitive Emissions 600 $\mu\text{g}/\text{m}^3$		

Arshiya Kousar
ARSHIYA KOUSAR
Dy. T.M. - Chemical
Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in



ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2025

TEST REPORT

Table No. 7

STATISTICAL AIR QUALITY DATA

Name of the Project : Ramanadurga Iron Ore Mine (ML No. 2141)												
Name of the Client : M/s. Sri. Kumaraswamy Mineral Exports Pvt. Ltd												
Month : November, 2024												
Station Code : A - I, Dharmapura					A - II, Yeshwanthanagar				A - III, Sushila Nagar village			
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}
Min.	6	9	35	18	7	9	40	21	7	9	30	18
10%	7	9	37	21	8	10	44	24	7	10	34	19
25%	8	10	42	23	8	12	48	26	9	11	39	20
50%	9	11	49	26	10	14	51	28	11	13	44	23
75%	10	12	54	27	11	16	54	29	12	14	52	25
98%	12	16	56	30	13	18	59	32	13	15	58	32
Max.	12	16	56	30	13	18	59	32	13	15	58	33
Avg.	9	11	47	25	10	14	50	27	10	13	45	23
SD	2	2	8	4	2	3	6	3	2	2	10	5
No. of obs	8				8				8			
Station Code : A - IV Sandur Town					A - V Core zone Within ML Area							
	SO ₂	NO ₂	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	PM ₁₀	PM _{2.5}				
Min.	8	11	30	18	7	10	38	24				
10%	9	12	34	19	7	10	42	25				
25%	9	14	40	22	9	10	46	26				
50%	11	15	47	26	10	11	48	27				
75%	11	15	51	28	11	13	54	29				
98%	12	16	58	32	13	15	58	33				
Max.	12	16	58	32	13	15	58	33				
Avg.	10	14	45	25	10	12	49	28				
SD	1	2	10	5	2	2	7	3				
No. of obs	8				8							

Arshiya Kousar
ARSHIYA KOUSAR

Dy. T.M. - Chemical

Govt. Analyst / Authorised Signatory

948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.

Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

